



Cat5e Wall-mount Patch Panel

12-Port, UTP, Black

Part No.: 162470

EAN-13: 0766623162470 | UPC: 766623162470

Wall-mount Patch Panel

The Intellinet Network Solutions Wall-mount Patch Panel helps maintain the integrity of your data and enables you to quickly change the port assignment of any piece of equipment that's attached to your network. This patch panel offers convenient access to ports and can be mounted to a wall, desk or any appropriate place where a rack is not able to be set up. With Cat5e performance that complies with the ANSI/TIA/EIA 568 B.2 standard and supporting unshielded Cat5e cable, this patch panel meets current industry standards for enhanced support of what's possible in your network.

Features:

- Solid and reliable terminations for copper cabling featuring a minimum of 3mm, 50 micro-inch, gold-plated jack contacts
- Compatible with both 110 and Krone punch-down tools
- Supports 22 to 26 AWG stranded and solid wire
- For use with unshielded twisted pair (UTP) Cat5e network cable
- Cat5e performance is in compliance with the ANSI/TIA/EIA 568 B.2 standard
- Ideal for Ethernet, Fast Ethernet and Gigabit Ethernet network

For more information on Intellinet products, consult your local dealer or visit www.intellinet-network.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

applications

- Connects RJ45 ports to a network
- Lifetime Warranty

Specifications:

Standards

- IEEE 802.3 (10Base-T Ethernet)
- IEEE 802.3u (100Base-TX Fast Ethernet)
- IEEE 802.3ab (1000Base-T Gigabit Ethernet)

Certifications

- UL E157358
- RoHS

Environmental

- Dimensions: 254 mm x 82 mm x 47 mm (W x H x D); 10 x 3.2 x 1.9 in.
- Weight: 0.337 kg (11.9 oz.)
- Operating temperature: -40°C - 80°C (-40°F - 176°F)

Package Contents

- Cat5e Mini Patch Panel
- 2 mounting screws
- Instructions



